
# MISTRAL

NOMENCLATURE

JUIN 1986




AVIASUD ENGINEERING
z.i. la palud - 83600 fréjus FRANCE
tél. 94.53.94.00
télex 461.172 aviasud

# MISTRAL

CONTENTS


| | |
|---|---|
| 1..... | FUSELAGE |
| 21..... | UPPER WINGS |
| 23..... | LOWER WINGS |
| 25..... | WING TAB |
| 26..... | STRUTS |
| 31..... | RUDDER |
| 32..... | STABILISER |
| 41..... | STABILISER CONTROL |
| 43..... | TRIM CONTROL |
| 46..... | THROTTLE CONTROL |
| 47..... | BRAKE CABLE COMPLETE |
| 51..... | NOSEWHEEL |
| 52..... | MAIN UNDER-CARRIAGE |
| 53..... | SKID |
| 62..... | INSTRUMENTS |
| 64..... | SAFETY HARNESS AND SEAT |
| 65..... | WINDSCREEN |
| 71..... | MOTOR |
| 72..... | MOTOR MOUNT |
| 73..... | PROPELLER AND ENGINE COWLINGS |
| 75..... | FUEL SYSTEM |
| 76..... | ELECTRIC CIRCUIT |
| Z..... | STANDARD PARTS |

# WARNING

This parts list itemizes parts of the MISTRAL to enable you to understand technical bulletins and maintenance advice notes. It will facilitate reporting ordinary problems to Aviasud Engineering or ordering parts.

This parts list at its date of publication cannot be held responsible for the change in specification of parts. It does not constitute a contractual description.

On no account should this document be considered as a construction manual.

# M I S T R A L : LIST OF PARTS AND SUB-ASSEMBLIES

Each part has a reference including the letter M, (for Mistral), followed by 4 numbers and finally 2 decimals. For each part you should read the reference, the designation, the quantity per aircraft and the category.

For simplicity, the prefix M has been omitted on the drawings. Nevertheless this prefix is indispensable for ordering parts.

When a part exists in left or right, the left-hand part has an odd reference, the right-hand part has the following even reference. On the drawing the part not shown is in brackets.

The sub-assemblies have their reference and designation underlined. In general, the complete assembly ends with an 0. The quantities of sub-assemblies are in brackets because these are made up of parts described in their own right.

At the end of every line, each part is classed by its type.


Standard parts are prefixed by the letter Z.

## ABBREVIATIONS

| | | | |
|---|---|---|---|
| AR | Rear | FER | Hinge |
| AV | Front | FIX | Fitting |
| BF | Trailing Edge | G | Left |
| CDE | Control | INF | Lower |
| CP | Plywood/Backplate | L | Length |
| D | Right | MOT | Engine |
| DIA | Diameter | SUP | Upper |
| EP | Thickness | STD | Standard |
| EXT | Exterior | STR | Laminated |


## CATEGORIES

| | | | |
|---|---|---|---|
| ACH | Purchased | MS | Welded steel |
| ALD | Cut light alloy | PLD | Cut plastic |
| ALT | Turned light alloy | PLT | Turned plastic |
| ALT+ | Light alloy turned and tapped | PRA | Extruded light alloy |
| CP | Plywood | RTX | Rotax |
| DIV | Varied | STD | Standard |
| M | Foam | STR | Laminated |



1311
1300
1310
1312
(1003)
1004
1340
1341
1330
1331
1332
(1001)
1002
1000
(1005)
1006
(1031)
1032
(1033)
1034
(1035)
1036
1027
1026
1025
1028
1024
1023
1022
1021
1012
1037
1038
1011
1013
1072
1071
1007
(1043)
1044
(1050)
1060
1045
1051
1052
(1041)
1042
1046
1049
(1047)
1048
1111
1112
1040
1206
1262
1261
1207
1250
1208
1230
1240
1220
1205
1204
1212
1101
1102
1104
1105
1100
1251
1252
1221
1222
1231
1241
1242

## FUSELAGE


| | | | |
|---|---|---|---|
| M 1000 | FUSELAGE COMPLETE WITH FITTINGS WITHOUT MOTOR | 1 | STR |
| M 1001 | COCKPIT STIFFENING RIB (LEFT) | 1 | STR |
| M 1002 | COCKPIT STIFFENING RIB (RIGHT) | 1 | STR |
| M 1003 | LEFT CABANE STRUT FITTING REINFORCEMENT | 1 | STR (M) |
| M 1004 | RIGHT CABANE STRUT FITTING REINFORCEMENT | 1 | STR (M) |
| M 1005 | LEFT FLOOR REINFORCEMENT | 1 | STR (M) |
| M 1006 | RIGHT FLOOR REINFORCEMENT | 1 | STR (M) |
| M 1007 | COCKPIT MIDDLE LOWER STIFFENING RIB | 0 OU 1 | STR |
| M 1011 | FRONT FIN BULKHEAD | 1 | STR |
| M 1012 | REAR FIN BULKHEAD | 1 | PRA |
| M 1013 | INSPECTION COVER | 1 | STR |
| M 1020 | SET OF FIN RIBS | (1) | STR (M) |
| M 1021 | FRONT FIN RIB | 1 | STR (M) |
| M 1022 | FRONT FIN RIB | 1 | STR (M) |
| M 1023 | FRONT FIN RIB | 1 | STR (M) |
| M 1024 | FRONT FIN RIB | 1 | STR (M) |
| M 1025 | FRONT FIN RIB | 1 | STR (M) |
| M 1026 | FRONT FIN RIB | 1 | STR (M) |
| M 1027 | UPPER REAR FIN RIB | 1 | STR (M) |
| M 1028 | LOWER REAR FIN RIB | 1 | STR (M) |
| M 1030 | SET OF FUSELAGE FRAMES (FOAM SANDWICH) | (1) | STR (M) |
| M 1031 | FRAME 2920 (LEFT) | 1 | STR (M) |
| M 1032 | FRAME 2920 (RIGHT) | 1 | STR (M) |
| M 1033 | FRAME 3420 (LEFT) | 1 | STR (M) |
| M 1034 | FRAME 3420 (RIGHT) | 1 | STR (M) |
| M 1035 | FRAME 3920 (LEFT) | 1 | STR (M) |
| M 1036 | FRAME 3920 (RIGHT) | 1 | STR (M) |
| M 1037 | VERTICAL FIN FRAME | 1 | STR (M) |
| M 1038 | REAR HALF FRAME | 1 | STR (M) |
| M 1040 | RIGHT & LEFT SET OF HALF FRAMES (LAMINATED) | (1) | |
| M 1041 | REAR FRAME FRONT LAMINATED ANGLE (LEFT) | 1 | STR |
| M 1042 | REAR FRAME FRONT LAMINATED ANGLE (RIGHT) | 1 | STR |
| M 1043 | REAR FRAME REAR LAMINATED ANGLE (LEFT) | 1 | STR |
| M 1044 | REAR FRAME REAR LAMINATED ANGLE (RIGHT) | 1 | STR |
| M 1045 | REAR FRAME UPPER BACK PLATE WEDGE | 2 | STR (CP) |
| M 1046 | REAR FRAME PACKING PIECE | 2 | STR (CP) |
| M 1047 | REAR FRAME LOWER BACK PLATE WEDGE (LEFT) | 2 | STR (CP) |
| M 1048 | REAR FRAME LOWER BACK PLATE WEDGE (RIGHT) | 2 | STR (CP) |
| M 1049 | REAR FRAME LOWER SPACER | 4 | ALD |
| M 1050 | REAR FRAME LEFT SPACER COMPLETE | (1) | |
| M 1051 | REAR FRAME SPACER 2,5mm | 2 | ALD |
| M 1052 | REAR FRAME SPACER 2mm | 2 | ALD |
| M 1060 | REAR FRAME RIGHT SPACER COMPLETE | (1) | |
| M 1071 | FRAME (CINEMATIQUE) | 1 | STR |
| M 1072 | FRAME (CINEMATIQUE) STIFFENER | 1 | STR |
| M 1100 | ENGINE BULKHEAD COMPLETE | (1) | STR |
| M 1101 | BARE ENGINE BULKHEAD | 1 | STR |
| M 1102 | BARE ENGINE BULKHEAD SEAL | 1 | STR |
| M 1104 | ENGINE SUPPORT PLATE (RIGHT) | 1 | STR |
| M 1105 | ENGINE SUPPORT PLATE (LEFT) | 1 | STR |
| M 1111 | SEAT | 1 | STR |
| M 1112 | STRAP GUIDES | 6 | ALD |


1311
1300
1310
1312
(1003)
1004
1340
1341
1330
1331
1332
(1001)
1002
1000
(1005)
1006
(1031)
1032
(1033)
1034
(1035)
1036
1027
1026
1025
1028
1024
1023
1022
1021
1037
1038
1012
1011
1013
1072
1071
1007
(1030)
1060
1045
(1043)
1044
1031
1032
(1041)
1042
1046
1049
(1047)
1048
1040
1111
1112
1206
1212
1261
1207
1250
1262
1208
1230
1240
1220
1205
1204
1212
1204
1205
1101
1102
1104
1105
1100
1251
1252
1221
1222
1231
1232
1241
1242

| | | | |
|---|---|---|---|
| M 1204 | LOWER GUSSETT OF FRONT FRAME LEFT OR REAR RIGHT | 2 | ALD |
| M 1205 | LOWER GUSSETT OF REAR FRAME LEFT OR FRONT RIGHT | 2 | ALD |
| M 1206 | UPPER GUSSETT OF FRONT FRAME LEFT OR REAR RIGHT | 2 | ALD |
| M 1207 | UPPER GUSSETT OF REAR FRAME LEFT OR FRONT RIGHT | 2 | ALD |
| M 1208 | FRAME MIDDLE CROSS BAR | 1 | MS |
| M 1212 | REAR FRAME LOWER REINFORCEMENT (FOAM SANDWICH) | 1 | STR (CP) |
| M 1220 | LOWER CROSS TUBE COMPLETE | (1) | |
| M 1221 | LOWER CROSS TUBE | 1 | PRA |
| M 1222 | CROSS TUBE INSERTS | 6 | ALT |
| M 1230 | VERTICAL TUBE COMPLETE | (2) | |
| M 1231 | VERTICAL TUBE | 2 | PRA |
| M 1240 | DIAGONAL TUBE COMPLETE | (2) | |
| M 1241 | DIAGONAL TUBE | 2 | PRA |
| M 1242 | DIAGONAL TUBE INSERTS | 4 | ALT |
| M 1250 | FRAME SECURING TUBE COMPLETE | (1) | |
| M 1251 | FRAME SECURING TUBE | 1 | PRA |
| M 1252 | FRAME SECURING TUBE INSERT | 2 | PLT |
| M 1261 | ATTACHMENT FRAME TUBE TO FUSELAGE | 1 | ALD |
| M 1262 | FRAME TUBE ANGLE BRACKET | 2 | PRA |
| M 1300 | CABANE | 1 | MS |
| M 1305 | ATTACHMENT TUBE CABANE TO FRAME LEFT | 0 | |
| M 1306 | ATTACHMENT TUBE CABANE TO FRAME RIGHT | 0 | |
| M 1310 | FRONT CABANE STRUT COMPLETE | (1) | |
| M 1311 | FRONT CABANE STRUT | 1 | PRA |
| M 1312 | FRONT CABANE STRUT INSERTS | 1 | ALT |
| M 1330 | LEFT FRONT CABANE STRUT ATTACHMENT BRACKET COMPLETE | (1) | |
| M 1331 | FRONT CABANE TUBE ATTACHMENT BRACKET LEFT | 1 | PRA |
| M 1332 | REINFORCEMENT | 2 | ALD |
| M 1340 | RIGHT FRONT CABANE STRUT ATTACHMENT BRACKET COMPLETE | (1) | |
| M 1341 | RIGHT FRONT CABANE STRUT ATTACHMENT BRACKET | 1 | PRA |



2111
2111
2134 oder 2135
2136 oder 2137
2119
2116
2114
2120
2109
2105 (2106)
2108
2131
2117
2140
2139
2141
2142
2121
2122
2112
2110
2104
2130,10
2112
2113
2107
2303 (Ø80) oder 2304 (Ø65)
2305 (2306)
2307
2301 oder 2302
2313
2312
2332
2320
2317
2319
2331
2315 (2316)
2321
2310 (2311)
2313 (2314)
2320
2321
2322
2312
2132,4
2132,1
2132,6
2132,7
2132
2132,3
2132,8
2132,5
2132,2

| 21 | UPPER WINGS | | |
|---|---|---|---|
| M 2101 | MAIN SPAR ROOT FITTING | 2 | ALT |
| M 2103 | ROOT RIB (UPPER WING) LEFT | 1 | STR |
| M 2104 | ROOT RIB (UPPER WING) RIGHT | 1 | STR |
| M 2105 | TIP RIB (UPPER WING) LEFT | 2 | STR |
| M 2106 | TIP RIB (UPPER WING) RIGHT | 2 | STR |
| M 2107 | ATTACHMENT BAR DRAG STRUT TO TRAILING EDGE | 2 | ALD |
| M 2108 | TIP RIB/TRAILING EDGE GOUSSET | 8 | ALD |
| M 2109 | TIP RIB BRACING BRACKET | 8 | ALD |
| M 2111 | UPPER WING LEADING EDGE | 2 | STR |
| M 2112 | WING ROOT SPAR STEEL FIXING | 2 | MS |
| M 2113 | BEARING STEEL FITTING | 2 | MS |
| M 2114 | DRAG SPAR TO MAIN SPAR BRACKET | 2 | MS |
| M 2116 | MATERIAL FITTING ON SPAR | 2 | ALD |
| M 2117 | FAIRING FOR MAIN STRUT FITTINGS | 2 | ALD |
| M 2119 | MAIN STRUT TO UPPER WING SPAR FIXING BRACKET | 2 | MS |
| M 2120 | UPPER WING DRAG SPAR COMPLETE | (2) | |
| M 2121 | EXTERIOR TUBE UPPER WING DRAG SPAR | 2 | PRA |
| M 2122 | INTERIOR SLEEVE UPPER WING DRAG SPAR | 2 | PRA |
| M 2131 | TRAILING EDGE | 2 | PRA |
| M 2132 | RIB OUTLINE | 2 | STR |
| M 2133 | VARNISHED CUT RIB OUTLINE | 42 | STR |
| M 2134 | RIB FOR 80mm DIA SPAR | 42 | STR |
| M 2135 | RIB FOR 76,5 DIA SPAR | | STR |
| M 2136 | HALF RIB FOR 80mm SPAR | 46 | CP |
| M 2137 | HALF RIB FOR 76,5 DIA SPAR | | CP |
| M 2139 | STANDARD UPPER WING SPAR DIA 80mm | 2 | PRA |
| M 2140 | LIGHTWEIGHT UPPER WING SPAR COMPLETE | (2) | |
| M 2141 | LIGHTWEIGHT SPAR MAIN TUBE | 2 | PRA |
| M 2142 | UPPER WING SPAR INSERT | 2 | PRA |
| M 2150 | UPPER LEFT WING COMPLETE | (1) | |
| M 2160 | UPPER RIGHT WING COMPLETE | (1) | |
| M 2171 | UPPER CENTRAL WING FAIRING FOR UPPER WING | 1 | STR |
| M 2172 | LOWER CENTRAL WING FAIRING FOR UPPER WING | 1 | PLD |
| --- | --- | | |
| Z 5130,10 | MALE TEFLON ROSE BEARING (M 10) | (2) | STD |



2111
2112
(2104)
2103
2101
2102
2113
2107
2114
2120
2116
2119
2139
2140
2117
2109
2105
(2106)
2108
2131
ϕ80
ϕ65
2141
2142
2121
2122
2123
2303 (ϕ80)
ou 2304 (ϕ65)
2305
(2306)
2301 ou 2302
2312
2313
2332
2307
2317
2319
2331
2510
(2511)
2513
(2514)
2515
(2516)
2521
2522
2523
2132,4
2132,1
2132,6
2132,7
2132
2132,2
2132,3
2132,8
2132,5
2132,9


| | | | |
|---|---|---|---|
| 23 | LOWER WINGS | | |
| M 2301 | FITTING OF LOWER STANDARD WING SPAR DIA 80 | 2 | ALT |
| M 2302 | FITTING OF LOWER LIGHTWEIGHT WING SPAR DIA 76,5 | 2 | ALT |
| M 2303 | LOWER WING SPAR STANDARD | 2 | PRA |
| M 2304 | LOWER WING SPAR LIGHTWEIGHT | 2 | PRA |
| M 2305 | LOWER WING ROOT RIB (LEFT) | 1 | STR |
| M 2306 | LOWER WING ROOT RIB (RIGHT) | 1 | STR |
| M 2307 | LEADING EDGE | 2 | STR |
| M 2312 | WING ROOT SPAR STEEL FITTING | 2 | MS |
| M 2313 | BEARING STEEL FITTING | 2 | MS |
| M 2314 | EXTERNAL SLEEVE (PARTIAL) | 2 | PRA |
| M 2317 | FAIRINGS FOR LOWER STRUT FITTING | 2 | ALD |
| M 2318 | EXTERNAL SLEEVE (PARTIAL) | 2 | PRA |
| M 2319 | STRUT FITTING | 2 | MS |
| M 2320 | LOWER WING DRAG SPAR COMPLETE | (2) | |
| M 2321 | EXTERIOR TUBE OF LOWER WING DRAG SPAR | 2 | PRA |
| M 2322 | INTERNAL SLEEVE OF LOWER WING DRAG SPAR | 2 | PRA |
| M 2331 | LOWER WING TRAILING EDGE | 2 | PRA |
| M 2332 | WING ROOT TRAILING EDGE SUPPORT | 2 | ALD |
| M 2341 | ROOT FAIRING LOWER WING LEFT | 1 | STR |
| M 2342 | ROOT FAIRING LOWER WING RIGHT | 1 | STR |
| M 2350 | LOWER LEFT WING COMPLETE | (1) | |
| M 2360 | LOWER RIGHT WING COMPLETE | (1) | |
| --- | --- | --- | --- |
| Z 5130,08 | MALE TEFLON ROSE BEARING (M8) | (2) | |


| | | | |
|---|---|---|---|
| 25 | WING TAB | | |
| M 2510 | WING TAB LEFT COMPLETE | (1) | |
| M 2511 | WING TAB RIGHT COMPLETE | (1) | |
| M 2513 | WING TAB BODY LEFT | 1 | STR |
| M 2514 | WING TAB BODY RIGHT | 1 | STR |
| M 2515 | DRIVE ARM LEFT WING TAB | 1 | PRA |
| M 2516 | DRIVE ARM RIGHT WING TAB | 1 | PRA |
| M 2517 | 3-PART HINGE | 11 | DIV |
| M 2520 | DRIVE ROD FOR TAB COMPLETE | (2) | |
| M 2521 | DRIVE ROD FOR TAB THREADED M4 | 2 | DIV |
| --- | --- | --- | --- |
| Z 5400,04 | OPEN PLASTIC ROSE BEARING M4 | (4) | STD |


2604
2650
2652
2651
2652
(2630)
2640
2613
2633
2635
2634
2636
2634
2631
2639
ZS130,06
(2630) 2640
2615
(2610)
2620
(2611)
2612
(2610)
2620
2614
ZS130,10

| 26 | STRUTS | | |
|---|---|---|---|
| M 2604 | TOP FITTING JURY STRUT | 2 | ALT |
| M 2610 | STRUT LEFT COMPLETE | (1) | |
| M 2611 | STRUT BODY LEFT | 1 | PRA |
| M 2612 | STRUT BODY RIGHT | 1 | PRA |
| M 2613 | STRUT UPPER-TIP FITTING | 2 | ALT |
| M 2614 | STRUT LOWER-TIP FITTING | 2 | ALT |
| M 2615 | FITTING - DURY STRUT/STRUT | 2 | ALD |
| M 2620 | STRUT RIGHT COMPLETE | (1) | |
| M 2630 | INTERPLANE STRUT LEFT COMPLETE | (1) | |
| M 2631 | INTERPLANE STRUT BODY | 2 | PRA |
| M 2633 | UPPER-TIP FITTING INTERPLANE STRUT | 2 | ALT |
| M 2634 | RUBBER WASHER | 4 | DIV |
| M 2635 | FLEXIBLE SPACER | 2 | DIV |
| M 2636 | SPECIAL SCREW | 2 | DIV |
| M 2639 | INTERPLANE STRUT LOWER TIP FITTING | 2 | ALT |
| M 2640 | INTERPLANE STRUT RIGHT COMPLETE | (1) | |
| M 2650 | JURY STRUT COMPLETE | (2) | |
| M 2651 | JURY STRUT BODY | 2 | PRA |
| M 2652 | END FITTING JURY STRUT | 4 | PLT |
| --- | | | |
| Z 5130,06 | ROSE BEARING MALE TEFLON M6 | (2) | STD |
| Z 5130,10 | ROSE BEARING MALE TEFLON OR BRONZE M10 | (2) | STD |



3113
3131
3134
Z4125,15
3112
3111
3124
3114
3122
3123
3121
3115
(3116)


3210
3212
3211
3232
3230
3207
(3208)
3209
2517
3231
2108
3213
3215 (3216)
2108
3217
3202
3203
3201
3205
3206


3203,7
3203,1
3203,2
3203,3
3203,6
3203,5
3203,4
3203,8
3203,9
3203,1

| | | | |
|---|---|---|---|
| 31 | RUDDER | | |
| M 3100 | RUDDER COMPLETE COVERED WITH HINGES | (1) | |
| M 3110 | RUDDER READY TO COVER | (1) | |
| M 3111 | RUDDER POST | 1 | PRA |
| M 3112 | RUDDER RIB | 3 | ALD |
| M 3113 | END RIB RUDDER | 2 | ALD |
| M 3114 | RUDDER TRAILING EDGE | 1 | PRA |
| M 3115 | RUDDER GUSSETT LEFT | 1 | ALD |
| M 3116 | RUDDER GUSSETT RIGHT | 1 | ALD |
| M 3121 | RUDDER HORN | 1 | ALD |
| M 3122 | HORN FITTING UPPER RIGHT AND LOWER LEFT | 2 | ALD |
| M 3123 | HORN FITTING UPPER LEFT AND LOWER RIGHT | 2 | ALD |
| M 3124 | RUDDER TRIM TAB | 1 | ALD |
| M 3131 | HINGE PIN | 3 | DIV |
| M 3134 | HINGE COMPONENT | 6 | MS |
| --- | | | |
| Z 4125,15 | SPLIT PIN (COTTER) 1,5mm | (3) | STD |

| | | | |
|---|---|---|---|
| 32 | STABILISER | | |
| M 3200 | STABILISER COMPLETE WITH ANTIBALANCE TAB LEFT AND RIGHT | (1) | |
| M 3201 | STABILISER LEADING EDGE | 2 | STR |
| M 3202 | STABILISER HALF RIB | 6 | CP |
| M 3203 | STABILISER RIB | 4 | STR |
| M 3205 | STABILISER TIP | 2 | STR |
| M 3206 | STABILISER TIP BRACE BRACKET | 8 | ALD |
| M 3207 | ROOT RIB LEFT | 1 | STR |
| M 3208 | ROOT RIB RIGHT | 1 | STR |
| M 3209 | RIGGING PIN REINFORCEMENT | 2 | ALD |
| M 3210 | STABILISER SPAR COMPLETE | (2) | |
| M 3211 | MAIN BODY SPAR | 2 | PRA |
| M 3212 | MAIN SPAR INTERNAL SLEEVE | 2 | PRA |
| M 3213 | STABILISER DRAG SPAR | 2 | PRA |
| M 3215 | TRAILING EDGE LEFT | 1 | PRA |
| M 3216 | TRAILING EDGE RIGHT | 1 | PRA |
| M 3217 | BRIDLE FITTING SPAR/ROOT RIB | 4 | ALT |
| M 3230 | ANTI-BALANCE TAB COMPLETE | (1) | |
| M 3231 | ANTI-BALANCE TAB BODY | 1 | STR |
| M 3232 | ANTI-BALANCE TAB ARM | 1 | PRA |
| M 3250 | STABILISER COMPLETE WITHOUT ANTI-BALANCE TAB LEFT | (1) | |
| M 3260 | STABILISER COMPLETE WITHOUT ANTI-BALANCE TAB RIGHT | (1) | |
| --- | | | |
| M 2108 | GUSSETT | (4) | ALD |
| M 2517 | 3-PART HINGE | (3) | DIV |



4114
4113
6441
4110
4112
4111
4106
4107
4108
Z5230,06
4109
4103
4104
4105
4100
4101
4102
4100,10
Z5130,06
4131
4132
4134
4135
4136
4130
4141
4150
4151
Z5230,06
4152
4153
4142
4143
Z5130,05
Z4125,15
Z3161,06
4215
4214
4213
4210
4211
4212
4205
Z6200,06
4207
4209
4208
4206
4204
4202
Z7205,07
4201
4203
Z8120,25


41


| | | | |
|---|---|---|---|
| M 4100 | TORQUE TUBE COMPLETE | (1) | |
| M 4100.10 | FRONT BEARING COMPLETE | (1) | |
| M 4101 | FRONT SUPPORT | 1 | ALD |
| M 4102 | BRACE | 1 | ALD |
| M 4103 | FRONT BEARING | 1 | PLT |
| M 4104 | SPACER | 1 | DIV |
| M 4105 | JOYSTICK BASE | 1 | MS |
| M 4106 | TORQUE TUBE | 1 | PRA |
| M 4107 | ROLL CONTROL ARM | 1 | MS |
| M 4108 | SPACER | 1 | ALT |
| M 4110 | JOYSTICK COMPLETE | (1) | |
| M 4111 | SPACER | 1 | DIV |
| M 4112 | JOYSTICK | 1 | MS |
| M 4113 | JOYSTICK EXTENSION | 1 | PRA |
| M 4114 | GRIP | 1 | ACH |
| M 4130 | STABALISER PUSH ROD COMPLETE | (1) | |
| M 4131 | INSERT FRONT HALF ROD | 1 | DIV |
| M 4132 | FRONT HALF PUSH ROD | 1 | PRA |
| M 4134 | FLEXABLE JOINT PUSH ROD | 1 | DIV |
| M 4135 | REAR HALF PUSH ROD | 1 | PRA |
| M 4136 | REAR HALF PUSH ROD INSERT | 1 | ALT |
| M 4141 | DRIVE | 1 | MS |
| M 4142 | MASS BALANCE WEIGHT | 1 | MS |
| M 4143 | FITTING ARM LEFT STABALISER | 1 | MS |
| M 4144 | FITTING ARM RIGHT STABALISER | 1 | MS |
| M 4150 | STABALISER DRIVE COMPLETE | (2) | |
| M 4151 | DRIVE SUPPORT | 2 | ALD |
| M 4152 | AXLE BEARING | 2 | ALT |
| M 4153 | SPACER | 2 | ALT |
| --- | | | |
| M 6441 | STICK GLOVE | (1) | DIV |
| Z 5130,05 | MALE ROSE BEARING TEFLON M5 | (1) | STD |
| Z 5130,06 | MALE ROSE BEARING TEFLON M6 | (1) | STD |
| Z 5230,06 | FEMALE ROSE BEARING TEFLON M6 | (1) | STD |
| Z 5310,06 | BALL RACE 6mm | (2) | STD |


42 TRIM CONTROL


| | | | |
|---|---|---|---|
| M 4201 | TRIM CONTROL CABLE | 1 | DIV |
| M 4202 | FRONT GUIDE (BOWDEN CABLE OUTER) | 1 | ACH |
| M 4203 | REAR GUIDE (BOWDEN CABLE OUTER) | 1 | ACH |
| M 4204 | RETURN CABLE GUIDE (BOWDEN CABLE OUTER) | 1 | ACH |
| M 4205 | OPERATING WHEEL | 1 | PLT |
| M 4206 | CABLE DRIVE | 1 | ALD |
| M 4207 | CABLE END STOP BRACKET | 1 | ACH |
| M 4208 | SPRING FITTING | 1 | PRA |
| M 4209 | SPRING | 2 | ACH |
| M 4210 | COMPENSATOR DRIVE COMPLETE | (1) | |
| M 4211 | SLIDING BEARING | 1 | PLD |
| M 4212 | SPACER | 1 | DIV |
| M 4213 | DRIVE | 1 | MS |
| M 4214 | BEARING | 1 | PLT |
| M 4215 | BRACKET DRIVE TO FUSELAGE SKIN | 1 | ALD |
| --- | | | |


4311
4300


4302
4301
4304
4303
4305
4330
4320
4306
4307
4308
4340
4330
4308
4351
4340
4309


Z 513905
4322
4321
4322
Z 513905
4320
Z 513905
4322
4331
4334
4330
4333
4334
4342
4341
4343
4340
Z 513906
Z 513906


4402
4420
4422
4421
Z 3106.06
4406
4409
4406
4410
4401
4404
4406
4405



Z 3509.09
4411
4412
Z 9100.08
4410
4409


43

| | | | |
|---|---|---|---|
| M 4300 | | | |
| M 4301 | DRIVE AXLE | 1 | MS |
| M 4302 | SPACER | 1 | PLT |
| M 4303 | LARGE AXLE FITTING | 2 | PRA |
| M 4304 | SMALL AXLE FITTING | 1 | PRA |
| M 4305 | ROLL CONTROL ARM | 1 | MS |
| M 4306 | WOODEN SPACER (THICK) | 1 | DIV |
| M 4307 | WOODEN SPACER (THIN) | 1 | DIV |
| M 4308 | BEARING BACK PLATE | 2 | ALD |
| M 4309 | TORQUE TUBE REAR SUPPORT | 1 | MS |
| M 4311 | FUEL TANK CROSS SUPPORT | 1 | PRA |
| M 4320 | ROLL PUSHROD COMPLETE | (1) | |
| M 4321 | ROD | 1 | PRA |
| M 4322 | THREADED INSERT | 4 | ALT |
| M 4330 | ANTI BALANCE CONTROL ROD COMPLETE | (2) | |
| M 4331 | ROD | 2 | PRA |
| M 4333 | INSERT | 2 | ALT |
| M 4334 | HALF ROD | 4 | ALD |
| M 4340 | ROLL CONTROL ROD COMPLETE | (2) | |
| M 4341 | ROD | 2 | PRA |
| M 4342 | THREADED INSERT - SHORT | 2 | ALT |
| M 4343 | THREADED INSERT - LONG | 2 | ALT |
| --- | | | |
| Z 5130,05 | MALE ROSE BEARING TEFLON M5 | (4) | |
| Z 5130,06 | MALE ROSE BEARING TEFLON M6 | (4) | |

44 RUDDER SYSTEM


| | | | |
|---|---|---|---|
| M 4401 | LEFT RUDDER PEDAL | 1 | MS |
| M 4402 | RIGHT RUDDER PEDAL | 1 | MS |
| M 4403 | SPACER | 2 | DIV |
| M 4404 | RIGHT RUDDER PEDAL SUPPORT | 2 | MS |
| M 4405 | LEFT RUDDER PEDAL SUPPORT | 2 | MS |
| M 4406 | RUDDER PEDAL AXLE | 4 | DIV |
| M 4409 | ROD | 1 | DIV |
| M 4410 | RUDDER PUSH ROD COMPLETE | (1) | |
| M 4411 | RUDDER CABLE | 2 | DIV |
| M 4412 | RUDDER CABLE OUTER SLEEVE | 2 | ACH |
| M 4420 | RUDDER CABLE TENSION BUNGER COMPLETE | (1) | |
| M 4421 | TENSION BUNGER | 1 | DIV |
| M 4422 | HOOK | 2 | DIV |
| --- | | | |
| Z 5400,08 | PLASTIC BALL BEARING M8 | (2) | STD |
| Z 8300,04 | QUICK SHACKLE 4mm DIA | (2) | STD |
| Z 8406,06 | SPACER 8mm DIA, 1mm THICK, 6mm LONG | (2) | STD |


4610
4604
4602
4607
4601
Z 8210,20
4612
Z 6210,06
4611
4603
4606
4605
4625
4624
Z 6320,24
4630
4621
4622
4620



Z 7207,09
4721
4711
4714
4712
4713
Z 8219,20
4707,10
4705
4707
4702
4709
4701
4722
Z 7209,07
∞ Z8406,06+Z7207,09
4704
Z 7209,11
4708
4703
4701
4708
4725
4714
Z6130,30
Z 6210,06

| 46 | THROTTLE CONTROL | | |
|---|---|---|---|
| M 4600 | THROTTLE CONTROL COMPLETE (WITHOUT DRIVE CABLE) | (1) | |
| M 4601 | MIDDLE BUSH | 1 | PLD |
| M 4602 | BUSH | 1 | PLD |
| M 4603 | SPLIT BUSH | 1 | PLD |
| M 4604 | RIGHT CONTROL AXLE | 1 | MS |
| M 4605 | LEFT CONTROL AXLE | 1 | MS |
| M 4606 | SPACER | 1 | PLT |
| M 4607 | CONNECTING ROD | 1 | PRA |
| M 4610 | CONTROL HANDLE COMPLETE | (2) | |
| M 4611 | LEVER | 2 | PRA |
| M 4612 | HANDLE | 2 | PRA |
| M 4620 | THROTTLE CABLE COMPLETE | (1) | |
| M 4621 | THROTTLE CABLE | 1 | DIV |
| M 4622 | SLEEVE | 1 | DIV |
| M 4624 | BRACKET | 1 | PRA |
| M 4625 | CONNECTING PLATE | 1 | ALD |
| M 4630 | CHOKE CABLE COMPLETE | 1 | ACH |
| --- | | | |
| Z 6210,06 | THROTTLE STOP | (1) | STD |
| Z 6320,24 | CABLE CLAMP | (1) | STD |
| Z 8210,20 | PLASTIC BUNG 20mm DIA | (2) | STD |


| 47 | BRAKE CABLE COMPLETE | | |
|---|---|---|---|
| M 4701 | CONNECTING PLATE | 2 | DIV |
| M 4702 | DOUBLE PULLEY | | |
| M 4703 | DOUBLE PULLEY | 1 | ACH |
| M 4704 | SINGLE PULLEY | 1 | ACH |
| M 4705 | 4mm DIA CORD | 1 | DIV |
| M 4706 | 6mm DIA CORD | 1 | DIV |
| M 4707 | HANDLE COMPLETE | (1) | |
| M 4707,10 | HANDLE | 1 | PRA |
| M 4708 | 50mm DIA CLAMP | 1 | MS |
| M 4709 | CABLE OUTER SLEEVE | 1 | DIV |
| M 4711 | COMPENSATOR PLATE | 1 | ALD |
| M 4712 | CABLE OUTER STOP | 2 | MS |
| M 4713 | BRAKE CABLE OUTER | 2 | DIV |
| M 4714 | BRAKE CABLE | 2 | DIV |
| M 4721 | CONTROL RETURN BUNGEE 4mm DIA | 1 | DIV |
| M 4722 | PULLEY RETURN BUNGEE 6mm DIA | 1 | DIV |
| M 4725 | BRAKE CABLE RETURN SPRING | 2 | DIV |
| --- | | | |
| Z 6130,30 | CABLE CLAMP | (4) | STD |
| Z 6200,06 | CABLE STOP | (2) | STD |
| Z 6210,06 | ADJUSTABLE CABLE STOP | (2) | STD |
| Z 7205,07 | BOWDEN CABLE CLAMP 5-7 | (2) | STD |
| Z 7207,09 | BOWDEN CABLE CLAMP 7-9 | (1) | STD |
| Z 7209,11 | BOWDEN CABLE CLAMP 9-11 | (1) | STD |
| Z 8210,20 | PLASTIC BUNG 20mm DIA | (2) | STD |



5121
Z 7315,52
5111
5114
Z 7315,52
5116
5126
5113
5112
5102
5127
5128
5116
5125
5123
5124
5115
5122
5123
5101
5103
5104
5109
5111
5106
5105
5107
5108
5107
5106
5100

| 51 | NOSEWHEEL | | |
|---|---|---|---|
| M 5100 | NOSEWHEEL COMPLETE LESS MOUNTING BRACKETS | (1) | |
| M 5101 | TYRE | 1 | ACH |
| M 5102 | TUBE | 1 | ACH |
| M 5103 | HUB | 1 | ACH |
| M 5104 | AXLE | 1 | DIV |
| M 5105 | SPINDLE | 1 | MS |
| M 5106 | SPINDLE BEARING | 2 | ALT |
| M 5107 | OUTER SPACERS | 2 | PRA |
| M 5108 | CENTRE SPACER | 1 | PRA |
| M 5109 | FORK | 1 | STR |
| M 5111 | PLATE | 1 | ALD |
| M 5112 | TELESCOPE NOSE WHEEL AXLE | 1 | MS |
| M 5113 | BRONZE SLIDING RING | 1 | DIV |
| M 5114 | BRONZE SLEEVE | 1 | DIV |
| M 5115 | LOWER BUSH | 1 | ALT |
| M 5116 | WASHER | 2 | PLT |
| M 5117 | STOP | 1 | STD |
| M 5118 | OUTER SLEEVE | 1 | MS |
| M 5121 | SLEEVE | 1 | MS |
| M 5122 | SPACERS FOR SPRING | 4 | DIV |
| M 5123 | SPRING FIXING BRACKET UPPER LEFT/LOWER RIGHT | 2 | MS |
| M 5124 | SPRING FIXING BRACKET UPPER RIGHT/LOWER LEFT | 2 | MS |
| M 5125 | SPRING STRIP | 2 | STR |
| M 5126 | CONTROL LEVER | 1 | ALD |
| M 5127 | SPACER CONTROL LEVER | 2 | ALT |
| M 5128 | STOP | 1 | DIV |
| --- | | | |
| Z 7315,52 | JUBILEE CLIP (DIA 52mm) | (2) | STD |


5232
5231
5233
5202
5230
(5240)
5207
(5208)
5261
(5262)
5250
(5260)
5248
5205
5256
5203
(5204)
5255
5254
5251
(5252)
5253
5226
5225
5227
5221
(5222)
5228
5224
Z30100
5246
5301
SL
5279
5278

| 52 | MAIN UNDER CARRIAGE | | |
|---|---|---|---|
| M 5202 | SPRING/FUSELAGE FITTING | 2 | MS |
| M 5203 | DRAG ROD FITTING LEFT | 1 | MS |
| M 5204 | DRAG ROD FITTING RIGHT | 1 | MS |
| M 5205 | PLATE | 2 | MS |
| M 5206 | SPRING BLADE OUTLINE (LEAF SPRING) | | STR |
| M 5207 | LEFT UNDERCARRIAGE LEG | 1 | STR |
| M 5208 | RIGHT UNDERCARRIAGE LEG | 1 | STR |
| M 5221 | LEFT WHEEL SPINDLE | (1) | |
| M 5222 | RIGHT WHEEL SPINDLE | (1) | |
| M 5223 | WHEEL INTERNAL SPACER | 2 | ALT |
| M 5224 | BUSH CLAMP | 2 | ALT |
| M 5225 | STIRRUP SPACER | 8 | ALT |
| M 5226 | WHEEL AXLE PLATE | 2 | MS |
| M 5227 | AXLE | 2 | MS |
| M 5230 | UNDERCARRIAGE STRUT COMPLETE LEFT | (1) | |
| M 5231 | UNDERCARRIAGE STRUT BODY | 2 | PRA |
| M 5232 | INNER UNDERCARRIAGE STRUT FUSELAGE FITTING | 2 | ALT + F |
| M 5233 | INNER UNDERCARRIAGE STRUT UNDERCARRIAGE FITTING | 2 | MS |
| M 5240 | INNER UNDERCARRIAGE STRUT COMPLETE RIGHT | (1) | |
| M 5248 | UNDERCARRIAGE STRUT SPACER | 2 | MS |
| M 5250 | UNDERCARRIAGE DRAG STRUT COMPLETE LEFT | (1) | |
| M 5251 | DRAG STRUT FITTING LEFT | 1 | PRA |
| M 5252 | DRAG STRUT FITTING RIGHT | 1 | PRA |
| M 5253 | THREADED INSERT M8 | 2 | ALT |
| M 5254 | INSERT | 2 | ALT |
| M 5255 | STRUT FOOT | 2 | ALD |
| M 5256 | SPACER | 4 | ALT |
| M 5260 | UNDERCARRIAGE DRAG STRUT COMPLETE RIGHT | (1) | |
| M 5261 | DRAG STRUT UPPER LEFT FITTING | 1 | MS |
| M 5262 | DRAG STRUT UPPER RIGHT FITTING | 1 | MS |
| M 5263 | DRAG STRUT LOWER LEFT FITTING | 1 | MS |
| M 5264 | DRAG STRUT LOWER RIGHT FITTING | 1 | MS |
| M 5266 | SPLIT HUB | (2) | |
| M 5267 | SPACER | (2) | |
| M 5268 | BRAKE DISC | (2) | |
| M 5269 | STIRRUP SUPPORT | (2) | |
| M 5270 | BRAKE WHEEL COMPLETE LESS AXLE | 2 | ACH |
| M 5271 | COMPLETE STIRRUP WITH DISCS | (2) | |
| M 5272 | CONTROL LEVER OF STIRRUP | (2) | |
| M 5273 | CONTROL LEVER SPRING | (2) | |
| M 5274 | BODY OF STIRRUP IN 2 PARTS | (2) | |
| M 5275 | THRUST SCREW FOR HELICAL SLOT | (2) | |
| M 5276 | THRUST RING WITH LUGS | (2) | |
| M 5277 | BRAKE DISC | (4) | |
| M 5278 | TYRE | 2 | ACH |
| M 5279 | TUBE | 2 | ACH |
| M 5280 | LEFT UNDERCARRIAGE COMPLETE | (1) | |
| M 5290 | RIGHT UNDERCARRIAGE COMPLETE | (1) | |
| --- | | | |
| Z 3161,06 | CASTLE NUT | (2) | STD |
| Z 5130,08 | MALE ROSE BEARING M8 TEFLON | (2) | STD |



6102
6105
6106
Z912912
6103
6102
6101


6201
6202
6207
6216
COMPAS
6204
6205
Z3530,06
6205
Z3520,06
6203
6211
6215
6213
6206
6212
BILLE
BANK I
6221
C. TOURS
RPM
6222
T° EAU
WATER TEMP
6224
T° ECHAP.
E.G.T.
6226
T° CARBU
6228
HORAMETRE
HOUR M.


| 53 | SKID | | |
|---|---|---|---|
| M 5301 | TAIL SKID | 1 | STR |
| Z 8120,25 | STAINLESS DECK-EYE | (1) | STD |

| 61 | INSTRUMENT PANEL | | |
|---|---|---|---|
| M 6101 | PANEL | 1 | STR |
| M 6102 | INSTRUMENT PANEL SIDE FITTING | 2 | ALD |
| M 6103 | INSTRUMENT PANEL LOWER FITTING | 1 | ALD |
| M 6105 | INSTRUMENT PANEL UPPER LEFT FITTING | 1 | ALD |
| M 6106 | INSTRUMENT PANEL UPPER RIGHT FITTING | 1 | ALD |
| Z 9120,12 | RUBBER SHOCK MOUNT | (4) | STD |


| 62 | INSTRUMENTS | | |
|---|---|---|---|
| M 6201 | PITOT HEAD | 1 | MS |
| M 6202 | PITOT STATIC PLUG | 1 | PLT |
| M 6203 | PITOT HEAD TUBE | 2 | DIV |
| M 6204 | INSTRUMENT TUBE LONG | 2 | DIV |
| M 6205 | INSTRUMENT TUBE SHORT | 3 | DIV |
| M 6206 | VARIO CAPACITY TUBE | 1 | DIV |
| M 6207 | COMPASS MOUNTING | 0 | DIV |
| M 6211 | ASI | 1 | ACH |
| M 6212 | SLIP BALL | 1 | ACH |
| M 6213 | VARIO | 0 | ACH |
| M 6214 | VARIO BOTTLE | 0 | ACH |
| M 6215 | ALTIMETER | 1 | ACH |
| M 6216 | COMPASS | 0 | ACH |
| M 6221 | TACHOMETER | 1 | ACH |
| M 6222 | WATER TEMPERATURE GUAGE | 1 | ACH |
| M 6223 | WATER TEMPERATURE GUAGE SENDER | 1 | ACH |
| M 6224 | EXHAUST GAS TEMP GUAGE | 0 | ACH |
| M 6225 | EXHAUST GAS TEMP GUAGE SENDER | 0 | ACH |
| M 6226 | CARBIRATOR TEMP GUAGE | 0 | ACH |
| M 6227 | CARBIRATOR TEMP GUAGE SENDER | 0 | ACH |
| M 6228 | HOUR METER | 0 | ACH |
| M 6231 | ELECTRIC FUEL CONTENTS GUAGE | 0 | ACH |
| M 6232 | ELECTRIC FUEL CONTENTS GUAGE SENDER | 0 | ACH |
| Z 8520,06 | STRAIGHT PLASTIC TUBE CONNECTOR | (2) | STD |
| Z 8530,06 | "T" PLASTIC TUBE CONNECTOR | (2) | |


6405
6404
6401
6407
6403
6406
6431
6421
6433
6434
(6431)
6432
Z8210,14
6424
Z8600,00


| 6A | SAFETY HARNESS AND SEAT | | |
|---|---|---|---|
| M 6401 | 3-POINT HARNESS | 2 | ACH |
| M 6402 | 4-POINT HARNESS | 0 | ACH |
| M 6403 | SIDE STRAP MOUNT | 2 | ALD |
| M 6404 | UPPER STRAP MOUNT | 2 | ALD |
| M 6405 | SPREADER PLATE | 2 | ALD |
| M 6406 | LARGE SPREADER PLATE | 1 | ALD |
| M 6407 | STEEL 'U' BOLT | 1 | ALD |
| M 6421 | BACK STIFFENER | 2 | STR |
| M 6424 | LOWER SEAT TUBE | 2 | PRA |
| M 6431 | OPEN SIDE POCKET LEFT | 1 | DIV |
| M 6432 | OPEN SIDE POCKET RIGHT | 1 | DIV |
| M 6433 | SEAT PAN | 2 | DIV |
| M 6434 | CUSHION | 2 | DIV |
| M 6441 | STICK GLOVE | 1 | DIV |
| --- | | | |
| Z 9210,14 | BUNG 14mm DIA | (4) | STD |
| Z 9600,00 | SEAT STRAP | (2) | STD |


6501
6502

| 65 | WINDSCREEN | | |
|---|---|---|---|
| M 6501 | WINDSCREEN | 1 | PLD |
| M 6502 | WINDSCREEN HOOP | 1 | PRA |


7166
Z7308,24
7165
7164
710
Z7400,4
Z943012
7162
7151
7151
7150
7144
7143
7147
Z913030
Z7308,45
7153
7153
7134
7133
7132
7131
7141
7149
7161
7148
Z949112
Z7409,4
7114
7142
7111
7137
7138
7115
7112
7102
7103
Z942906
7156
7155
7101
Z7308,57
7139
7145
7106
7107
7146
Z7400,2 (TYP)
Z9125,25
7136
7113
7105
7104
7108
7116
7183
Z7308,28 (TYP)
7182
7186
7184
7185
7185
7177
7181
7178
7179
7178
7172
7175
7173
7171
7174


| 71 | MOTOR | | |
|---|---|---|---|
| M 7100 | ROTAX MOTOR 532 COMPLETE | (1) | |
| M 7101 | MOTOR BODY WITH REDUCTION DRIVE | 1 | RTX |
| M 7102 | EXHAUST MANIFOLD | 1 | RTX |
| M 7103 | EXHAUST SPRING | 3 | RTX |
| M 7104 | INLET MANIFOLD | 1 | RTX |
| M 7105 | CARBURATOR JUBILEE CLIP | 1 | RTX |
| M 7106 | CARBURATOR | 1 | RTX |
| M 7107 | AIR FILTER JUBILEE CLIP | 1 | RTX |
| M 7108 | AIR FILTER | 1 | RTX |
| M 7111 | OIL RESERVOIR | 1 | RTX |
| M 7112 | OIL FEED PIPE | 1 | RTX |
| M 7113 | FUEL PUMP | 1 | RTX |
| M 7114 | 90° PIPE FITTING | 1 | RTX |
| M 7115 | IGNITION COIL MOUNTING PLATE | 1 | RTX |
| M 7116 | THERMOSTAT | 1 | RTX |
| M 7131 | PULLEY SUPPORT BRACKET | 1 | MS |
| M 7132 | SPACER | 1 | DIV |
| M 7133 | PULLEY | 1 | ACH |
| M 7134 | EYELET | 1 | DIV |
| M 7136 | OIL FEED PIPE | 1 | DIV |
| M 7137 | OIL RESERVOIR SUPPORT BRACKET | 1 | ALD |
| M 7138 | IGNITION CABLE L = 250mm | 2 | DIV |
| M 7139 | AIR INLET PIPE | 1 | DIV |
| M 7141 | EXHAUST BOX | 1 | MS |
| M 7142 | EXHAUST TAIL PIPE | 1 | PRA |
| M 7143 | SHOCK MOUNT HEAT GUARD LEFT | 1 | ALD |
| M 7144 | SHOCK MOUNT HEAT GUARD RIGHT | 1 | ALD |
| M 7145 | WATER PUMP HEAT GUARD | 1 | ALD |
| M 7146 | SPACER | 1 | ALT |
| M 7147 | ENGINE BLOCK HEAT GUARD | 1 | ALD |
| M 7148 | LOWER LEFT SUPPORT | 1 | ALD |
| M 7149 | LOWER RIGHT SUPPORT | 1 | ALD |
| M 7150 | FRAME HEAT GUARD | 1 | ALD |
| M 7151 | UPPER SUPPORT | 2 | ALD |
| M 7153 | LOWER SUPPORT | 2 | ALD |
| M 7155 | PRIMER BULB | 1 | ACH |
| M 7156 | PRIMER BULB TUBE | 1 | DIV |
| M 7161 | PIPE GUARD | 1 | ALD |
| M 7162 | HOSE FOR EXPANSION BOTTLE | 1 | DIV |
| M 7163 | BOTTOM OF EXPANSION BOTTLE | 1 | ALT |
| M 7164 | STOPPER FOR EXPANSION BOTTLE | 1 | ALT |
| M 7165 | EXPANSION BOTTLE L = 350mm | 1 | DIV |
| M 7166 | OVERFLOW PIPE | 1 | DIV |
| M 7171 | RADIATOR | 2 | ACH |
| M 7172 | UPPER CLAMP PLATE | 1 | ALD |
| M 7173 | LOWER CLAMP PLATE | 1 | ALD |
| M 7174 | THREADED PLATE | 2 | DIV |
| M 7175 | RADIATOR GUARD PIPE | 2 | DIV |
| M 7177 | WATER PIPE L = 95 | 1 | DIV |
| M 7178 | WATER PIPE L = 50 | 2 | DIV |
| M 7179 | WATER PIPE L = 75 | 1 | DIV |


7214
7209
7207
z5230,04
7207
7208
z4125,15
z3161,04
9300,08
7215
7201
7203
7221
913930
7202
7201


| | | | |
|---|---|---|---|
| M 7181 | WATER PIPE L = 260 | 2 | DIV |
| M 7182 | WATER PIPE L = 120 | 1 | DIV |
| M 7183 | WATER PIPE L = 400 | 1 | DIV |
| M 7184 | TEE PIPE | 1 | ACH |
| M 7185 | CURVED PIPE | 2 | ACH |
| M 7186 | CURVED TEE PIPE | 1 | DIV |
| --- | | | |
| Z 7308,28 | JUBILEE CLIP | (17) | STD |
| Z 7308,45 | JUBILEE CLIP | (1) | STD |
| Z 7308,57 | JUBILEE CLIP | (1) | STD |
| Z 7400,12 | BOLT CLAMP DIA 12 | (8) | STD |
| Z 7400,14 | BOLT CLAMP DIA 14 | (2) | STD |
| Z 9130,30 | SHOCK MOUNT | (2) | STD |
| Z 9410,12 | GROMMIT FOR 12mm DIA PIPE FRAME 1mm | (1) | STD |
| Z 9420,06 | GROMMIT FOR 6mm DIA PIPE FRAME 2mm | (1) | STD |
| Z 9430,12 | GROMMIT FOR 12mm DIA PIPE FRAME 3mm | (1) | STD |

Z2 MOTOR MOUNT


| | | | |
|---|---|---|---|
| M 7201 | LOWER SAFETY CABLE | 2 | DIV |
| M 7202 | CROSS BEAM SPACER | 7 | ALT |
| M 7203 | MOTOR SPACER | 2 | ALT |
| M 7207 | STAY SPACER | 2 | ALT |
| M 7208 | UPPER SAFETY CABLE | 1 | DIV |
| M 7209 | MOTOR STAY | 1 | MS |
| M 7214 | MOTOR SUPPORT | 1 | MS |
| M 7215 | MOTOR SUPPORT NUTS | 4 | DIV |
| M 7221 | MOTOR CROSS BEAM | 1 | PRA |
| --- | | | |
| Z 3161,06 | CASTLE NUT | 1 | STD |
| Z 4125,15 | SPLIT PIN | 1 | STD |
| Z 5230,06 | FEMALE ROSE BEARING (TEFLON) DIA 6 | 1 | STD |
| Z 9130,30 | FLEXIBLE MOUNT | 7 | STD |
| Z 9300,08 | RUBBER PLATE MOUNT | 1 | STD |



7322
7326
7301
7311
7314
7313
7312
7323
7325
7324
7321

| 73 | PROPELLER AND ENGINE COWLINGS | | |
|---|---|---|---|
| M 7301 | PROPELLER | 1 | ACH |
| M 7311 | REAR SPINNER PLATE | 1 | STR |
| M 7312 | SPINNER | 1 | STR |
| M 7313 | REAR SPINNER PLATE REINFORCEMENT | 2 | PRA |
| M 7314 | PROPELLER PLATE | (1) | RTX |
| M 7321 | LOWER ENGINE COWLING | 1 | STR |
| M 7322 | UPPER ENGINE COWLING | 1 | STR |
| M 7323 | RADIATOR UPPER FRAME | 1 | STR |
| M 7324 | RADIATOR SUPPORT | 1 | STR |
| M 7325 | LEADING EDGE OF FRAME | 1 | STR |
| M 7326 | UPPER COWLING CORNER FITTINGS | 2 | ALD |



7521
7522
7523
7524
7526
7534
7533
7502
7513
7511
7512
7520
7508,57
7532
7541
7504
7505
7506
7503
7501
7400,12 (TYN)
7507
7508
7509

| 75 | FUEL SYSTEM | | |
|---|---|---|---|
| M 7500 | GLASS FIBRE TANK COMPLETE | (1) | |
| M 7501 | TANK | 1 | STR |
| M 7502 | COVER/LID | 1 | STR |
| M 7503 | TANK FITTING | 2 | ALT |
| M 7504 | NOZZLE | 1 | ALT |
| M 7505 | PIPE - TANK/PRIMER | 1 | DIV |
| M 7506 | FUEL PRIMER BULB | 1 | DIV |
| M 7507 | PIPE - PRIMER/TAP | 1 | DIV |
| M 7508 | TAP | 1 | ACH |
| M 7509 | PIPE - TAP/PUMP | 1 | ACH |
| M 7511 | FUEL TANK FILLER | 1 | ALT |
| M 7512 | FUEL TANK FILLER GASKET | 1 | ACH |
| M 7513 | FUEL TANK FILLER NUT | 1 | ALT |
| M 7520 | FUEL FILLER PIPE COMPLETE | (1) | |
| M 7521 | CAP | 1 | ACH |
| M 7522 | GASKET | 1 | ACH |
| M 7523 | CAP FITTING | 1 | ACH |
| M 7524 | BEND 90° DIA 50 | 1 | DIV |
| M 7526 | PIPE DIA 50 | 1 | DIV |
| M 7532 | GUAGE | 1 | DIV |
| M 7533 | AIR VENT PIPE | 1 | DIV |
| M 7534 | AIR VENT PIPE LINK | 1 | DIV |
| M 7541 | TANK LEFT LATERAL SUPPORT | 1 | PRA |
| M 7542 | TANK RIGHT LATERAL SUPPORT | 1 | PRA |
| --- | | | |
| 7207,09 | CONICAL COLLAR DIA 7-9 | (1) | STD |
| 7400,12 | BOLT CLAMP DIA 12 | (8) | STD |
| 9430,12 | GROMMIT FOR 12mm for sheet 3 | (3) | STD |



7620
7621
7622
7623
10A
7624
4A
7625
7631
7632
7633
7634
ROTAX 532
7601
7602
7601
7602
7609
7610
7603
7604
7611
7609
RECTIF/REGUL
7612
7607
7641
Ni CAD 12V
7640
7643
7642
7652
INTERCOM
7651


7605
7606
7607
7609

| Z6 | ELECTRIC CURCUIT | | |
|---|---|---|---|
| M 7601 | 8 PIN CONNECTOR MALE | 2 | ACH |
| M 7602 | 8 PIN CONNECTOR FEMALE | 2 | ACH |
| M 7603 | 3 PIN CONNECTOR MALE | 1 | ACH |
| M 7604 | 3 PIN CONNECTOR FEMALE | 1 | ACH |
| M 7605 | INSULATED FEMALE SPADE CONNECTOR (CRIMP) | 11 | ACH |
| M 7606 | INSULATED MALE SPADE CONNECTOR (CRIMP) | 0 | ACH |
| M 7607 | INSULATED MALE/FEMALE SPADE CONNECTOR (CRIMP) | 1 | ACH |
| M 7609 | INSULATED RING CONNECTOR (CRIMP) | 3 | ACH |
| M 7610 | CONNECTOR CABLE 7 PIN | (1) | DIV |
| M 7611 | EARTH STRAP ENGINE BLOCK/REGULATORS | (1) | DIV |
| M 7612 | EARTH STRAP REGULATOR/BATTERY | (1) | DIV |
| M 7620 | WIRING LOOM COMPLETE | (1) | DIV |
| M 7621 | CONDENSOR 40 V, 4700 MICRO FARAD | 1 | ACH |
| M 7622 | CONDENSOR COLLER | 1 | ALD |
| M 7623 | PANAL MOUNT FUSE HOLDER | 2 | ACH |
| M 7624 | 10 AMP FUSE | 1 | ACH |
| M 7625 | 4 AMP FUSE | 1 | ACH |
| M 7631 | SWITCH 6 PIN | 1 | ACH |
| M 7632 | SWITCH GUARD | 1 | PLD |
| M 7633 | SWITCH 2 PIN | 0 OU 1 | ACH |
| M 7634 | | | |
| M 7640 | BATTERY WITH HARNESS AND FIXINGS | (0 OU 1) | DIV |
| M 7641 | NICKEL-CADMIUM BATTERY 12 VOLT WITH HARNESS | 0 OU 1 | ACH |
| M 7642 | BATTERY SECURING BRIDLE | 0 OU 2 | ALD |
| M 7643 | RUBBER FOR SECURING BRIDLE | 0 OU 2 | DIV |
| M 7651 | INTERCOM | 0 OU 1 | ACH |
| M 7652 | INTERCOM MOUNTING PLATE | 0 OU 1 | ALD |
| --- | | | |
| Z 9430.12 | GROMMIT FOR 12mm DIA FRAME 3mm | 1 | STD |


Z316_-/--
Z41_--/--
Z51_-/--
Z52_--/--
Z53_--/--
Z54_--/--
Z 7117,04
Z6209,06
Z6130,30
Z6210,06
Z632_-/--
Z72_-/--
Z73_-/--
Z74_--/--
Z75_--/--
Z812_-/--
Z821_-/--
Z83_-/--
Z8600,00
Z91_-/--
Z9300,08
Z94_--/--

| | | |
|---|---|---|
| Z 3 | WASHERS AND NUTS | |
| Z 3161,06 | M6 CASTLE NUT (STEEL ZINC PLATED) | 4 |
| Z 4 | SPLIT PINS | |
| Z 4125,15 | SPLIT PIN DIA 1,5 x 25 | 4 |
| Z 5 | BEARINGS | |
| Z 5130,05 | ROSE BEARING MALE TEFLON M5 | 5 |
| Z 5130,06 | ROSE BEARING MALE TEFLON M6 | 4 |
| Z 5130,08 | ROSE BEARING MALE TEFLON M8 | 2 |
| Z 5130,10 | ROSE BEARING MALE TEFLON M10 | 4 |
| Z 5230,06 | ROSE BEARING MALE TEFLON M6 | 2 |
| Z 5310,06 | BALL BEARING | 2 |
| Z 5400,04 | PLASTIC BALL/ROD CONNECTOR M4 | 4 |
| Z 5400,08 | PLASTIC BALL/ROD CONNECTOR M8 | 2 |
| Z 5600,06 | HELICOIL | 0 |
| Z 6 | BRAKE CABLE ACCESSORIES | |
| Z 6200,06 | OUTER BOWDEN END STOP | 3 |
| Z 6130,30 | SOLDERLESS NIPPLE | 4 |
| Z 6210,06 | ADJUSTER | 3 |
| Z 6320,24 | CLAMP BOLT | 1 |
| Z 7 | CLAMPS | |
| Z 7117,04 | TYE-RAP | 10 |
| Z 7207,09 | 'C' CLIP 7-9 | 2 |
| Z 7209,11 | 'C' CLIP 9-11 | 1 |
| Z 7308,28 | JUBILEE CLIP DIA 24-36, WIDTH 8 | 16 |
| Z 7308,57 | JUBILEE CLIP DIA 57, WIDTH 8 | 3 |
| Z 7315,52 | JUBILEE CLIP DIA 52, WIDTH 15 | 2 |
| Z 7400,12 | BOLT CLAMP DIA 12 | 8 |
| Z 7400,14 | BOLT CLAMP DIA 14 | 2 |
| Z 7512,14 | PLASTIC 'P' CLAMP | 3 |
| Z 8 | FITTINGS | |
| Z 8120,25 | DECK EYE | 2 |
| Z 8210,14 | PLASTIC PLUG FOR TUBE DIA 14 x 0,8 | 4 |
| Z 8210,20 | PLASTIC PLUG FOR TUBE DIA 20 x 1 | 2 |
| Z 8300,04 | SCREW SHACKLE | 2 |
| Z 8406,06 | SPACER STANDARD DIA 8 x 1, L = 6 | 3 |
| Z 8600,00 | STRAP WITH BUCKLE | |


Z316_/--
Z41_--/--
Z51_--/--
Z52_--/--
Z53_--/--
Z54_--/--
Z7117,04
Z6209,06
Z6130,30
Z6219,06
Z632_/--
Z72_--/--
Z73_--/--
Z74_--/--
Z75_--/--
Z812_/--
Z821_--/--
Z83_--/--
Z84_--/--
Z8600,00
Z91_--/--
Z9300,04
Z94_--/--

| | | | |
|---|---|---|---|
| Z 3161,06 | STIFF NUT M6 | (1) | STD |
| Z 4125,15 | COTTER PIN 1,5 DIA | (1) | STD |
| Z 6200,06 | BOWDEN CABLE OUTER END FERRULES | (3) | STD |
| Z 7205,07 | BOWDEN CABLE OUTER CLAMP | (1) | STD |
| Z 8120,25 | STAINLESS DECK EYE | (1) | STD |
| Z 8406,06 | SPACER DIA 8 x1, L = 6 | (1) | STD |

Z 9 RUBBER

| | | |
|---|---|---|
| Z 9120,12 | SHOCK MOUNT (PAULSTRA) DIA 12, L= 20 MALE MALE | 4 |
| Z 9125,25 | SHOCK MOUNT (PAULSTRA) DIA 25, L = 25 MALE MALE | 1 |
| Z 9130,30 | SHOCK MOUNT (PAULSTRA) DIA 30, L = 30 MALE MALE | 9 |
| Z 9300,08 | SHOCK PLATE MOUNT PAULSTRA TYPE 00 FOR 8mm BOLT | 1 |
| Z 9410,12 | GROMMIT FOR 12mm FRAME 1mm | 1 |
| Z 9420,06 | GROMMIT FOR 6mm FRAME 2mm | 4 |
| Z 9430,12 | GROMMIT FOR 12mm FRAME 3mm | 5 |